



- NOTES**
1. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
 2. ALL TRAFFIC MANAGEMENT TO COMPLY WITH CHAPTER 8 AND ANY UPDATES, AND SAFETY AT STREET WORKS AND ROADWORKS (A CODE OF PRACTICE).
 3. ALL ROAD MARKINGS AND SIGNS TO BE AS PER THE TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2016.
 4. ALL PERMANENT TRAFFIC SIGNALS WILL BE BAGGED OR SWITCHED OFF. AT TIMES THAT TEMPORARY TRAFFIC SIGNALS ARE BEING USED, THIS SHOULD BE DONE WITH THE APPROVAL FROM SAID AUTHORITY.

- KEY**
- TRAFFIC SIGN
 - TRAFFIC CONE
 - TRAFFIC SIGNALS TO DIAGRAM 3000.1
 - TRAFFIC SIGNAL HEAD NUMBER
 - TRAFFIC PARKING CONE
 - WORKING SPACE
 - SUSPENDED PARKING BAYS

- DETAIL B (B)**
- Single/Dual carriageway 40mph or less - 450mm traffic cones, spacing 1.5m.
 - Single/Dual carriageway 50mph or more - 750mm traffic cones, spacing 1.5m.
 - Dual carriageway national speed limit - 750mm traffic cones, spacing 1.5m, relaxation 3m.
- Notes:**
- 1) During darkness, warning lights to BS EN 12352:2006 should be provided in accordance with Table A1.3 (Appendix 1).
 - 2) 45° tapers have 1.5m spacing, no relaxations.
 - 3) On motorways and NSL AP duals with hard shoulders, 1m cones will be required for both standard and relaxation works for lead tapers and the facing wall of lane changes.

- DETAIL C1 (C1)**
- Single/Dual carriageway 40mph or less - 450mm traffic cones.
 - Single/Dual carriageway 50mph or more - 750mm traffic cones.
- Notes:**
- 1) During darkness, warning lights to BS EN 12352:2006 should be provided in accordance with Table A1.3 (Appendix 1).
 - 2) For relaxation to Detail C1 see Table A1.3 (Appendix 1).

DRAWN BY K **DATE** 18/04/2023

Rev.	Rev. Date	Purpose of revision	Revised
1			
2			
3			

Client

Project
BACK LANE, SIBFORD FERRIS - ROAD CLOSURE

Drawing title
ROAD CLOSURE

SCALE 1:100 @ A1
PAGE NO. 01 OF 01
DRAWING NUMBER 01302-01

This drawing is not to be used in whole or part other than for the intended purpose and project as defined on this drawing. Refer to the contract for full terms and conditions.